CASE REPORT: COBBLESTONE

TV or not TV?

A Smith, S Portsmouth, B Curran, D Warhurst, P Kell, N Saulsbury

Sex Transm Infect 2002;78:185-186

rchway Sexual Health Clinic is an inner city genitourinary medicine clinic. Its attendees have a high prevalence of sexually transmitted infections (STIs) by UK standards. *Trichomonas vaginalis* (TV) was found in 2.3% of women screened in the year 2000. TV is diagnosed by wet preparation microscopy and cultures. Typically 1–5 women/ week are diagnosed with TV.

In February 2001 12 women were diagnosed with TV by wet preparation microscopy in a 1 week period. This cluster was noted, raising the possibility of a local TV epidemic. Case notes were reviewed to further investigate this cluster.

CASE REPORTS

Four of 12 cases of TV occurred in asymptomatic women, with unremarkable examinations, three with normal vaginal pH values (see table 1). Monogamous sexual histories suggested these four cases were at low risk for STIs. The remaining eight cases were classified as higher risk for TV (multiple partners/previous TV/sexual assault). Symptoms and findings in some cases could be explained by concomitant diagnoses (bacterial vaginosis/candidiasis/*Neisseria gonorrhoeae/Chlamydia trachomatis*).

Culture results for TV were only positive for 2/12 patients. Case note review demonstrated unexpectedly high levels of TV which were diagnosed by wet preparation microscopy. 1-3

Culture confirmations were negative in all but two patients. Contamination of wet preparation microscopy samples was felt likely.

Wet preparation microscopy is performed by application of a posterior fornix swab into normal saline on a microscopy slide. The saline was deemed a potential reservoir for contamination. Saline samples from examination rooms were examined microscopically. One saline sample contained a motile TV-like organism. This was identified as *Bodo saltans*, a contaminant

We informed our patients rapidly of the possible misdiagnosis. No serious sequelae were reported by our patients; several expressed relief.

Key points

.....

- A variety of flagellate protozoa resembling Trichomonas vaginalis can contaminate saline
- Use of sterile saline for wet preparation microscopy will avoid such contamination

THE CONTAMINANT

Bodo saltans is a flagellate protozoan with worldwide distribution.⁴ It is non-pathogenic. It measures 4–10 μm long and is usually ovoid in shape. It has a short anterior and a longer trailing flagella (which mimics the undulating membrane of TV). *Bodo saltans* can spread as an airborne cyst. We hypothesise a cyst landed in saline, containing bacteria, in the examination room and hatched. Reproduction by binary fission then occurred. This is the first reported case in a genitourinary medicine clinic. There are many other similar organisms that could result in contamination and misdiagnosis.

RECOMMENDATIONS

This contamination could occur elsewhere. False positive diagnosis of STIs can have a variety of important emotional, psychological, and medicolegal sequelae.⁵

Our experience has enabled us to improve diagnosis of TV and eliminate the risk of saline contamination with this and other flagellate organisms. Contaminated saline can be avoided by using sterile saline applied directly onto a microscope slide. Saline should not be applied from non-sterile containers or with reusable pipettes.

Microscopic diagnosis can be improved by increasing familiarity with the morphology and motility of TV. We recommend a second staff member checks all positive wet preparation microscopy and culture confirmation. There is also a need to provide good reference materials for microscopy. An awareness of organisms, like *Bodo saltans*, could prevent similar misdiagnosis recurring.

Case No	Symptoms	Signs	рН	Microscopic findings	Previous STI	Concurrent GU problems	Sexual risk	TV culture result
1	None	None	4	Normal	Chlamydia	None	Low	Negative
2	None	None	4.5	Normal	Warts	None	Low	Negative
3	None	None	4.5	Normal	None	None	Low	Negative
4	None	None	5.5	Candida	Warts	None	Low	Negative
5	Discharge offensive	Discharge	7	Clue cells	Gonorrhoea, chlamydia	Bacterial vaginosis	Yes	Negative
6	Dysuria	Discharge cervicitis	5	Mixed flora	None	Gonorrhoea, chlamydia	Yes	Negative
7	Discharge	Discharge	4.5	Normal	TV, chlamydia	None	Yes	Negative
8	Discharge pruritis	Discharge	4.5	Spores	None	Chlamydia	Yes	Negative
9	Discharge offensive	Discharge	6	Clue cells	PID	Bacterial vaginosis	Yes	Negative
10	Discharge pruritis	Discharge	6	Clue cells	HSV	Chlamydia, bacterial vaginosis	Yes	Negative
11	Discharge	Discharge	6	Mixed flora	None	None	Yes	Positive
12	Discharge	Vaginitis, cervicitis	6	Normal	None	Chlamydia	Yes	Positive

Smith, Portsmouth, Curran, et al

CONTRIBUTORS

All authors contributed to the manuscript; AS prepared the first and final manuscript; AS, SP, and BC collated data on the subjects; DW identified and described Bodo saltans; PK and NS reviewed and amended the manuscript.

A Smith, S Portsmouth, B Curran, P Kell, N Saulsbury, Department of Genitourinary Medicine, Camden and Islington CHS NHS Trust, London,

D Warhurst, London School of Hygiene and Tropical Medicine, London,

Conflicts of interest: None. Financial interests: Nil.

Correspondence to: Dr Alan Smith, Mortimer Market Centre, Off Capper Street, London WC1E 6AU, UK; alansmith100@hotmail.com

Accepted for publication 7 March 2002

REFERENCES

- 1 Petrin D, Delgaty K, Bhatt R, et al. Clinical and microbiological aspects
- of Trichomonas vaginalis. *Clin Microbiol Rev* 1998;**2**:300–17. **Kreiger JN**, Alderete JF, Trichomonas vaginalis and trichomoniasis. In: Holmes KK, et al. Sexually transmitted diseases. New York: McGraw-Hill,
- 3 Wolner-Hanssen P, Kreiger JN, Stevens CE, et al. Clinical manifestations of vaginal trichomoniasis. JAMA 1989;264:571-6.
- 4 Patterson DJ, Hedley S. Free-living freshwater protozoa—a colour guide. London: Wolfe Publishing, 1992.
- 5 Keller M, Egan J, Mims LF. Genital human papilloma virus infection: common but not trivial. Health Care Women Int 1995;16:351-64.

NEW STI ONLINE SUBMISSION AND REVIEW SYSTEM

I am pleased to inform authors and reviewers that as of 21 February 2002, STI is using a new online submission and review system. Developed by Highwire Press (CA, USA), Bench>Press is a fully integrated electronic system which utilises the web to allow rapid and efficient submission of manuscripts. It also allows the peer review process to be conducted entirely online. The aim, apart from saving trees, is to speed up the frequently frustrating progress from submission to publication.

Authors can submit their manuscript in any standard word processing software. Standard graphic formats acceptable are: .jpg, .tiff, .gif, and eps. (nb. multipage powerpoint files are NOT acceptable). The text and graphic files are automatically converted to PDF for ease of distribution and reviewing purposes. Authors are asked to approve their submission before it formally enters the reviewing process. On approval by the authors, the submission is passed to the editor and/or reviewers via the web. All transactions are

To access the system click on "SUBMIT YOUR MANUSCRIPT HERE" on the STI homepage: http://www.sextransinf.com/ or you can access Bench>Press directly at http://submit-sti.bmjjournals.com/.

We are very excited with this new development and I would encourage authors and reviewers to use the online system where possible. It really is simple to use and should be a big improvement on the current peer review process. Full instructions can be found on Bench>Press and STI online. Please contact Natalie Davies, Project Manager, ndavies@bmjgroup.com for further information.

PRE-REGISTER WITH THE SYSTEM

We would be grateful if all Sexually Transmitted Infections authors and reviewers pre-registered with the system. This will give you the opportunity to update your contact and expertise data, allowing us to provide you with a more efficient service.

Instructions for registering

- 1. Enter http://submit-sti.bmjjournals.com
- 2. Click on "Create a New Account" in the upper left hand side of the Bench>Press homepage
- 3. Enter your email address in the space provided.
- 4. Choose a password for yourself and enter it in the spaces provided.
- 5. Complete the question of your choice to be used in the event you cannot remember your password at a later time.
- 6. Click on the "Save" button at the bottom of the screen.
- 7. Check the email account you registered under. An email will be sent to you with a verification number and URL.
- 8. Once you receive this verification number, click on the URL hyperlink and enter the verification number in the relevant field. This is for security reasons and to check that your account is not being used fraudulently.
- 9. Enter/amend your contact information, and update your expertise data.